

01-08

- 01
- 03
- 05
- 07
- 09
- 11

13-25

- 13 MIPC1000-80T
- 15 MPS10020KT-C
- 17 MPS20020KT-C
- 19 MIPC1000-100
- 21 MIPC1000-100C2
- 23 MIPC1000-160L
- 25 MIPC1000-135C1

27-29

- 27 CU
- 28 CU
- 29 P C

30

31-32







240 kW





( ) ( )

2000 m 2000 m





# MPS10020KT-C



( )


( )

--  
--  
--

-40 ~ +65

-40 ~ +65

# MPS20020KT-C



( )

( )

--  
--  
--

-40 ~ +65  
-40 ~ +65


>

1


( )



# 30 kW




	/ 323-456 VAC ( ) 280-480 VAC ( )
	> 0.99 @ 50%-100% 5% @ 50%-100% @ 380
	± 1% (20%-100% )
	- -
	-40 ~ +75 -40 ~ +75 5-95%
	2000 m, 4000 m 100 m 1
	300,000
	4.2 kVDC - 3.5 kVDC - 3.5 kVDC - 4.2 kVDC -CAN 4.2 kVDC -CAN
/	,
/	,
	,
(W x H x D)	459 mm ( )




40 kW



# (CCU)




# (TCU)




POS M1 QR



4G WIFI




(PLC



R&D

>3000

35% 

1990

↑ 2024 400+

&  
32  
• 9

38  
• 28



CNAS TUV UL-WTDP UL-CTF



QDM

DEM

